

## MATERIAL SAFETY DATA SHEET

### I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME:     JS-EP360-8CYAN-K  
PRODUCT TYPE:  Inkjet ink; acetate based; nonflammabl

EMERGENCY PHONE (CHEMTREC 24 HOUR): 800-424-9300  
INFORMATION PHONE: 858-695-2816  
REASON FOR MSDS ISSUE: New information  
MSDS VERSION: A

### II. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL FAMILY: ACETATE/ RESIN

HAZARDOUS COMPONENTS	CAS #	WEIGHT %
GLYCOL ETHER ACETATE	FL PROP 192	35-80%
No PEL established. Manufacturer guideline 25 ppm. NIOSH 5 ppm. OSHA/SARA [1%] reportable as glycol ether Harmful if inhaled or absorbed through the skin. May cause blood disorders and kidney damage based on animal studies.		
RESIN	JII PROP 207	10-30%
No PEL established.		

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the JIANGMEN INKJET, INC. product item number. Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### III. HAZARDS IDENTIFICATION

HMIS CODES:     H F R P  
                  2 2 0 H

## **INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Dizziness, breathing difficulty, headaches and loss of coordination

## **SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Eye/skin: May cause irritation / sensitization.

Harmful if absorbed through skin. May cause blood disorder and kidney damage based on animal data.

## **INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

May cause gastrointestinal irritation, vomiting, nausea, and diarrhea.

## **ACUTE HEALTH HAZARDS**

Severe irritation, tearing, redness, and blurred vision

## **MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

None known or determined for the product

## **CHRONIC HEALTH HAZARDS**

None known or determined for the product.

## **CARCINOGENICITY**

Product not tested. IARC, NTP, OSHA listed carcinogen components equal to or greater than 0.1% by weight will be listed in paragraph 2 and described as carcinogens, if any.

## **IV. FIRST AID MEASURES**

### **EMERGENCY AND FIRST AID PROCEDURES**

Swallowed: Do NOT induce vomiting. Call a doctor and contact local poison control center immediately.

Eye contact: Flush eyes thoroughly with water. Seek medical attention if irritation persists.

Skin contact: Wash contaminated areas with soap and water.

Inhaled: Remove victim to fresh air.

## **V. FIRE FIGHTING MEASURES**

FLASH POINT: > 152°F

METHOD USED: TCC

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: ND      UPPER: ND

EXTINGUISHING MEDIA: Foam, carbon dioxide or dry chemical

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors may form explosive mixture with air. Vapors may travel considerable distance to a source of ignition and flash back.

## **VI. ACCIDENTAL RELEASE MEASURES**

### **STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Eliminate all sources of ignition. Soak up on paper or other absorbent and scoop into closed containers. Flush area with plenty of water.

## **VII. HANDLING AND STORAGE**

### **PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

PRODUCT NAME: JS-EP360-8LIGHT CYAN-K      DATE PRINTED: 04/10/2007

Page: 3

Storage temperature: Standard room temperature (68 degrees Fahrenheit).

Special sensitivity: Heat, light, moisture.

Precautions: Keep container closed. Store away from traffic.

#### **OTHER PRECAUTIONS**

If peroxide formation is suspected, do not open or move container. Minimize exposure to air.

Keep from contact with oxidizing materials. Minimize exposure to air. Keep container closed.

Store away from heat and light.

### **VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**RESPIRATORY PROTECTION:** Use an approved respirator for organic vapor and fumes if ventilation is not adequate.

**VENTILATION:** Mechanical ventilation is acceptable.

**PROTECTIVE GLOVES:** Rubber

**EYE PROTECTION:** Goggles or safety glasses with side shields.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Impervious clothing where skin contact is unavoidable; eyewash station.

**WORK/HYGIENIC PRACTICES:** Avoid contamination of food, drink, etc. No smoking when handling.

### **IX. PHYSICAL AND CHEMICAL PROPERTIES**

**BOILING POINT:** 373 - 586ø F

**SPECIFIC GRAVITY (H2O=1):** ND

**VAPOR PRESSURE (mm of Hg):** ND

**VAPOR DENSITY (AIR = 1):** ND

**EVAPORATION RATE (BUTYL ACETATE=1):** ND

**MATERIAL VOC:** 80 – 85%

**PHYSICAL STATE:** Viscous liquid

**COLOR:** CYAN

**ODOR:** Soft

**SOLUBILITY IN WATER:** Negligible

### **X. REACTIVITY**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** Heat, light, moisture

**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong oxidizers

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** Oxides of carbon and nitrogen.

**HAZARDOUS POLYMERIZATION:** None

### **XI. TOXICOLOGICAL INFORMATION**

No information available for product.

### **XII. ECOLOGICAL INFORMATION**

No information available for product.

**PRODUCT NAME:** JS-EP360-8LIGHT CYAN-K    **DATE PRINTED:** 04/10/2007

**Page:** 4

### XIII. DISPOSAL CONSIDERATIONS

#### WASTE DISPOSAL METHOD

Waste shall be disposed of in accordance with federal, state, and local environmental control regulations.

### XIV. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME: Not regulated.

### XV. PRODUCT REGULATORY INFORMATION

OSHA STATUS: Product not tested but it is considered to be a health hazard per 29CFR1910.1200.

USA TSCA STATUS: This product meets the requirements of the Toxic Substances Control Act.

INTERNATIONAL EXPORT/IMPORT STATUS: Not determined for every country. Contact JIANGMEN INKJET, INC. for certification if required. Formulas are proprietary, so ingredient lists may only be released to Customs/Health offices designated to control trade secrets.

SARA TITLE III SECTION 313 TOXIC CHEMICALS: Product not listed. SARA listed ingredients at or above De Minimis reporting levels are noted in paragraph 2, if any.

RCRA HAZARDOUS WASTE NUMBER/STATUS: If discarded in its purchased form, this product would not be a federal hazardous waste either by listing or by characteristic. States, however, often have stricter criteria. Users should check with their state regulatory agencies for current hazardous waste criteria. Under RCRA it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

OZONE-DEPLETING CHEMICALS: No regulated ingredients.

#### NEW JERSEY

##### REPORTABLE COMPONENTS

GLYCOL ETHER ACETATE  
RESIN

##### CAS #

FL PROP 192  
JII PROP 207

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the JIANGMEN INKJET, INC. product item number.

#### CALIFORNIA PROPOSITION 65 (CARCINOGENS):

<u>REPORTABLE COMPONENTS</u>	<u>CAS #</u>	<u>WEIGHT %</u>
------------------------------	--------------	-----------------

None unless listed, as follows:

#### CALIFORNIA PROPOSITION 65 (REPRODUCTIVE TOXINS):

<u>REPORTABLE COMPONENTS</u>	<u>CAS #</u>	<u>WEIGHT %</u>
------------------------------	--------------	-----------------

None unless listed, as follows:

XVI. OTHER INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. JIANGMEN INKJET, INC. makes no warranty, express or implied, as to the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.

www.art998.com